

# LogiLink®

## 2-Way Outdoor Socket with Ground Spike, 2 m

Art. No.: LPS214



This outdoor socket is versatile and allows the power connection up to two devices at the same time. Comes with splash protection and ground spike make it stable and safe. Perfect for use in the backyard and garden.

Splash-proof Socket Outlet  
with Hinged Cover

2x safety sockets  
(German type, CEE 7/3)

 **IP44**

 **2m**  
Length

 **with  
Safety  
Shutter**

Power: 230 V/16 A,  
max. 3680 W



Ground  
Spike

Cable Specification:  
H07RN-F 3G 1.5 mm<sup>2</sup>



# LogiLink®

## 2-Way Outdoor Socket with Ground Spike, 2 m

Art. No.: LPS214

### Features:

- » The 2-way outdoor socket with the robust and stable housing and IP44 protected against dust and splashes is suitable for the use outdoor/commercial /construction site
- » With the hinged cover
- » Easy to set-up and make your garden clean and tidy with ground spike
- » Comes with H07RN-F, 3G 1.5 mm<sup>2</sup> cable – 230 V ~ 50 Hz, 16 A – Max. 3680 W

Max.  
3680W

230V  
16A



### Package Content:

- » 1x 2-Way Outdoor Socket with Ground Spike, 2 m

### Package Information:

- » Packing Dimension: 350x110x100 mm
- » Packing Weight: 0.65 kg
- » Carton Dimension: 350x350x220 mm
- » Carton Q'ty: 10 pcs
- » Carton Weight: 8 kg



RoHS  
compliant



\*The specifications and pictures are subject to change without prior notice.  
\*All trade names referenced are the registered trademarks of their respective owners.



Made in China



## EC-Declaration of Conformity

According to the regulations  
2014/35/EU(LVD) & 2011/65/EU (RoHS)

### We, Importer / Distributor

2direct GmbH  
Langenstück 5  
58579 Schalksmühle  
Germany

### Declare that the product

Brand Name: **LogiLink**  
Model Number: LPS214  
Table Socket Outlet, 6-way Schuko Socket Outlet

### Is in Conformity with the following European Standards:

DIN VDE 0620-2-1:2016+EK1 510-11:2011  
DIN VDE 0620-1:2016  
EN50581:2012  
**Report No: 160700996SHA-001**

Identification of signatory empowered to bind the manufacturer or his authorized  
representative.

Schalksmühle, 28<sup>th</sup> November 2016

Place and date of issue



2direct GmbH  
Langenstück 5  
D-58579 Schalksmühle  
Tel.: +49 2381 66887-0

Signature (Wilfried Grohnert)