

This Dimmer Socket allows you to set the desired brightness of your light instantly; great for making a cosy atmosphere in the living room or bedroom.





*The specifications and pictures are subject to change without prior notice. *All trade names referenced are the registered trademarks of their respective owners.





LogiLink

Dimmer Socket

Art. No.: PA0151

Specifications:

| Rated Voltage | 230 V AC, 50Hz |
|---------------------------|-------------------------------|
| Max. Power | 400 W for light bulb |
| Standby Power Consumption | 0 W |
| Switch Type | Dimmer Switch, 1.2 A max. |
| Waterproof Rating | IP20 |
| Type of Plug | Safety Plug, DIN 49441-R1 |
| Type of Socket | German Socket, DIN 49440-1 |
| Operating Temperature | 0–35 °C |
| Operating Humidity | 40-75% |
| Storage Temperature | -10–50 °C |
| Storage Humidity | 10-80% |
| Dimensions | 9.15x4.9x8 cm (included plug) |
| Weight | 106g |



Package Contents:

- » 1x Dimmer Socket
- » 1x User Manual

Package Information:

- » Packing Dimension: 114x82x62 mm
- » Packing Weight: 0.133 kg
- » Carton Dimension: 465x425x325 mm
- » Carton Q'ty: 100 pcs
- » Carton Weight: 13.5 kg



*Do not plug in a row. *Indoor use only.

*The specifications and pictures are subject to change without prior notice. *All trade names referenced are the registered trademarks of their respective owners.







CE EC-Declaration of Conformity

According to the regulations 2014/35/EU(LVD) & 2015/863/EU (RoHS3)

We, Importer / Distributor

2direct GmbH Langenstück 5 58579 Schalksmühle Germany

Declare that the product

Brand Name: LogiLink Model Number: PA0151 Socket adapter with dimmer

Is in Conformity with the following European Standards:

DIN VDE 0620-1:2016/A1:2017 DIN VDE 0620-2-1:2016/A1:2017 EN 610581-:2018 EN 61058-1-2:2016 EN 50581:2012

Report No: 704101909613-00

Identification of signatory empowered to bind the manufacturer or his authorized

representative.

Schalksmühle, 05.01.2021

Place and date of issue

2direct GmoH Longenstück 5 D-58579 Schalksmühle Tel.: +49-2351-64887-0 Signature (†Wilfried Größhreft)