

# **LogiLink**<sub>®</sub>

5-Way Power Strip with Surge Protection and Remote Control

Art. No.: LPS402



Safety



### **Specifications:**

Power	230 V/16 A, 50 Hz, max. 3680 W
Socket Type	5x safety sockets (German type, CEE 7/3)
Cable Specification	H05VV-F 3G 1.5 mm <sup>2</sup>
Remote Range	20 m
Remote Controller Radio-Frequency	433,92 MHz
Battery Type	1x A27 12 V Alkaline Battery
Waterproof Grade	IP20
Storage Temperature	-10–50 °C
Storage Humidity	10–80% RH (no condensation)
Operating Temperature	0–35 °C
Storage Humidity	40–75% RH (no condensation)
Cable Length	1,5m
Color	White
Dimensions	Power Strip: 41,7x5,6x4,2cm; Remote Controller: 5,3x3,1x1,4 cm
Weight	Power Strip: 0,66 kg; Remote Controller: 0,014 kg











### **Package Contents:**

- » 1x 5-Way Power Strip
- » 1x Remote Control
- » 1x User Manual

#### **Package Information:**

- » Packing Dimension: 462x110x59 mm
- » Packing Weight: 0,76 kg
- » Carton Dimension: 465x225x320 mm
- » Carton Q'ty: 10 pcs » Carton Weight: 8,1 kg

- \*Do not plug in a row. \*Indoor use only.





## **EC-Declaration of Conformity**

According to the regulations 2014/53/EU (RED) & 2014/35/EU (LVD) & 2015/863/EU (RoHS3)

We, Importer / Distributor

2direct GmbH Langenstück 5 58579 Schalksmühle Germany

Declare that the product

Brand Name: LogiLink Model Number: LPS402 Multiple Socket Outlets

Is in Conformity with the following European Standards:

DIN VDE 0620-1:2016/A1:2017
DIN VDE 0620-2-1:2016/A1:2017
EN 300 220-2:V3.1.1:2017
EN 50663:2017
EN 301 489-1:V2.2.3:2019

EN 301 489-3:V2.1.1:2019

EN 50581:2012

Report No: 704102005542-00, 709501826110-01

Identification of signatory empowered to bind the manufacturer or his authorized representative.

Schalksmühle, 19th May 2021

Place and date of issue

2direct GmbH Langenstücks D-58579 (Schalksmühle