

E1-Zoom-IP-Camera-Specifications		
	Model	E1 Zoom
Hardware Features	Image Sensor	1/2.7" CMOS Sensor
	Display Resolution	2560x1920 (5 Megapixels)
	Lens	f=2.8-8mm Autofocus, F=1.6, with IR Cut
	Optical Zoom	3X
	Angle of View	Horizontal: 48° - 98°
		Vertical: 37° - 75°
	Pan/Tilt Angle	Horizontal: 355°
		Vertical: 50°
	Minimum Illumination	0 Lux (with IR Illuminator)
	IR Distance	12m (40ft) (LED: 10pcs/14mil/850nm)
	Dimension	Φ80x111mm
	Weight	250g
	Power Input	DC 5.0V/1A
Interface	Power	Micro SD Card Slot (Max. 128GB)
		Built-in Microphone and Speaker
		Reset Button
Software Features	Protocols & Standards	SSL, TCP/IP, UDP, IPv4, UPnP, RTSP, SMTP, NTP, DHCP, DNS, DDNS, FTP, P2P
	Image Compression	H.264
	Maximal Frame Rate	20fps
	Code Rate	1024Kbps ~ 4096Kbps (Default: 4096Kbps)
	Audio	Two-way Audio
	Maximal User Access	20 Users (1 admin account & 19 user accounts); Support up to 12 simultaneous video streams (10 substreams & 2 mainstreams)
	Browser Supported	IE, Edge, Chrome, Firefox, Safari
	OS Supported	PC: Windows, Mac OS; Smartphone: iOS, Android
	Record Mode	Motion Recording; scheduled recording (24/7 recording)
Alarm	Siren (customizable)	
Works with	Google Assistant; Reolink Cloud (available in some countries)	
Wireless Features	Wireless Standard	IEEE 802.11a/b/g/n
	Operating Frequency	2.4/5 GHz
	Wireless Security	WPA-PSK/WPA2-PSK
Other Parameters	Temperature	Operating Temperature: -10°C~+55°C
		Storage Temperature: -40°C~70°C
	Humidity	Operating Humidity: 20% ~ 85%
Storage Humidity: 10% ~ 90%		
Waterproof	No	
Warranty	Limited Warranty	2-year limited warranty. For support, visit <a href="https://support.reolink.com/hc/en-us/">https://support.reolink.com/hc/en-us/</a>

## Δήλωση συμμόρφωσης ΕΕ (GR)

**Manufacturer:** REOLINK INNOVATION LIMITED

**Address:** FLAT/RM 705 7/F FA YUEN COMMERCIAL BUILDING 75-77 FA YUEN STREET MONG KOK KL HONG KONG

Αυτή η δήλωση συμμόρφωσης εκδίδεται με αποκλειστική ευθύνη του κατασκευαστή και ανήκει στο ακόλουθο προϊόν:

**Τύπος Προϊόντος:** WiFi IP Κάμερα

**Μοντέλο:** E1 Pro, E1, E1 Zoom

Το αντικείμενο της δήλωσης που περιγράφεται παραπάνω είναι σύμφωνο με τη σχετική Νομοθεσία εναρμόνισης της Ένωσης:

- Radio Equipment Directive: 2014/53/EU
- RoHS Directive: 2011/65/EU

Έχουν εφαρμοστεί τα ακόλουθα εναρμονισμένα πρότυπα και τεχνικές προδιαγραφές:

Safety	EN 60950-1:2006+A2:2013
Health	EN 62311:2008
EMC	Draft ETSI EN 301 489-1 V2.2.1 (2019-03) Final draft ETSI EN 301 489-3 V2.1.1 (2017-03) Draft ETSI EN 301 489-17 V3.2.0 (2017-03)
Radio	Draft ETSI EN 301 489-1 V2.2.1 (2019-03) Final draft ETSI EN 301 489-3 V2.1.1 (2017-03) Draft ETSI EN 301 489-17 V3.2.0 (2017-03)
RoHS	EN 50581:2012

**Υπογράφηκε για και για λογαριασμό του:** REOLINK INNOVATION LIMITED

**Τόπος έκδοσης:** Hong Kong

**Ημερομηνία έκδοσης:** 15-9-2021

**Όνομα:** Wang aijun

**Θέση:** Τεχνικός διευθυντής

**Υπογραφή:**

Wang aijun

## EU Declaration of Conformity (EN)

**Manufacturer:** REOLINK INNOVATION LIMITED  
**Address:** FLAT/RM 705 7/F FA YUEN COMMERCIAL BUILDING 75-77 FA YUEN  
STREET MONG KOK KL HONG KONG

This declaration of conformity is issued under the sole responsibility of the manufacturer and belongs to the following product:

**Product Type:** WiFi IP Camera

**Model:** E1 Pro, E1, E1 Zoom

The object of the declaration described above is in conformity with the relevant Union harmonization legislation:

- Radio Equipment Directive: 2014/53/EU
- RoHS Directive: 2011/65/EU

The following harmonized standards and technical specifications have been applied:

Safety	EN 60950-1:2006+A2:2013
Health	EN 62311:2008
EMC	Draft ETSI EN 301 489-1 V2.2.1 (2019-03) Final draft ETSI EN 301 489-3 V2.1.1 (2017-03) Draft ETSI EN 301 489-17 V3.2.0 (2017-03)
Radio	ETSI EN 300 328 V2.1.1 (2016-11) ETSI EN 301 893 V2.1.1 (2017-05) ETSI EN 300 440 V2.2.1 (2018-07)
RoHS	EN 50581:2012

**Signed for and on behalf of:** REOLINK INNOVATION LIMITED

**Place of issue:** Hong Kong  
**Date of issue:** 15-9-2021  
**Name:** Wang aijun  
**Position:** Technical Director  
**Signature:**

*Wang aijun*