

Reolink-Duo-2-PoE-IP-Camera-Specifications		
	Model	Reolink Duo 2 PoE
<b>Video &amp; Audio</b>	Image Sensor	1/2.7" CMOS Sensors
	Video Resolution	Default: 4608X1728 (8.0 megapixels) at 20 frames/sec
	Lens	f = 3.2 mm fixed, F = 2.0
	Video Format	H.265
	Field of View	Horizontal: 180°
		Vertical: 60°
	Day & Night	Auto-switching with IR cut filter
	Infrared Night Vision	30 meters (LED: 6pcs/20mil/850nm)
	Color Night Vision	Spotlight: 8pcs/5W/6500K/560 Lumens
Audio	Two-way audio	
<b>Power</b>	POE	IEEE 802.3af, 48V Active
	DC Power	DC 12V=2A, <12W
<b>Interface</b>	Power	DC power port
	System	Reset button
	Ethernet	One 10M/100Mbps; RJ45
	Storage	Micro SD card slot (Max. 256GB)
	Audio	Built-in microphone and speaker
<b>Software Features</b>	Frame Rate	Mainstream: 4fps - 20fps (default: 20fps)
		Substream: 4fps - 20fps (default: 10fps)
	Code Rate	Mainstream: 3072-10240Kbps (default: 8192kbps)
		Substream: 256-2048Kbps (default: 1024kbps)
	Browser Supported	Edge, Chrome, Firefox, Safari
	OS Supported	PC: Windows, Mac OS; Smartphone: iOS, Android
	Smart Alarm	Motion detection; person detection; vehicle detection; pet detection (beta)
	Record Mode	Motion-triggered recording (default); scheduled recording; 24/7 recording
Protocols & Standards	HTTPS, SSL, TCP/IP, UDP, HTTP, IPv4, UPnP, RTSP, RTMP, SMTP, NTP, DHCP, DNS, DDNS, FTP, P2P	
Maximal User Access	20 Users (1 admin account & 19 user accounts); Supports up to 12 simultaneous video streams (10 substreams & 2 mainstreams)	
Works with	Google Assistant	
<b>Working Environment</b>	Temperature	Operating temperature: -10°C~+55°C (14°F~131°F)
	Humidity	Operating humidity: 10% ~ 90%
	Waterproof	IP66
<b>Size &amp; Weight</b>	Dimension	195x103x56 mm
	Weight	680g
<b>Warranty</b>	Limited Warranty	2-year limited warranty. For support, visit <a href="https://support.reolink.com/hc/en-us/">https://support.reolink.com/hc/en-us/</a>

## Δήλωση συμμόρφωσης ΕΕ (GR)

**Manufacturer:** REOLINK INNOVATION LIMITED  
**Address:** FLAT/RM 705 7/F FA YUEN COMMERCIAL BUILDING 75-77 FA YUEN STREET MONG KOK KL HONG KONG

Αυτή η δήλωση συμμόρφωσης εκδίδεται με αποκλειστική ευθύνη του κατασκευαστή και ανήκει στο ακόλουθο προϊόν:

**Τύπος Προϊόντος:** IP Κάμερα

**Μοντέλο:** Reolink Duo 2 PoE

Το αντικείμενο της δήλωσης που περιγράφεται παραπάνω είναι σύμφωνο με τη σχετική Νομοθεσία εναρμόνισης της Ένωσης:

- EMC Directive: 2014/30/EU
- RoHS Directive: 2011/65/EU

Έχουν εφαρμοστεί τα ακόλουθα εναρμονισμένα πρότυπα και τεχνικές προδιαγραφές:

EMC	EN 55032:2015/A11:2020 EN IEC 61000-3-2:2019 EN 61000-3-3:2013/A1:2019 EN 55035:2017/A11:2020
RoHS	EN 50581:2012

**Υπογράφηκε για και για λογαριασμό του:** REOLINK INNOVATION LIMITED

**Τόπος έκδοσης:** Hong Kong

**Ημερομηνία έκδοσης:** 15-9-2021

**Όνομα:** Wang aijun

**Θέση:** Τεχνικός διευθυντής

**Υπογραφή:**

Wang aijun

## EU Declaration of Conformity (EN)

**Manufacturer:** REOLINK INNOVATION LIMITED  
**Address:** FLAT/RM 705 7/F FA YUEN COMMERCIAL BUILDING 75-77 FA YUEN  
STREET MONG KOK KL HONG KONG

This declaration of conformity is issued under the sole responsibility of the manufacturer and belongs to the following product:

**Product Type:** IP Camera

**Model:** Reolink Duo 2 PoE

The object of the declaration described above is in conformity with the relevant Union harmonization legislation:

- EMC Directive: 2014/30/EU
- RoHS Directive: 2011/65/EU

The following harmonized standards and technical specifications have been applied:

EMC	EN 55032:2015/A11:2020 EN IEC 61000-3-2:2019 EN 61000-3-3:2013/A1:2019 EN 55035:2017/A11:2020
RoHS	EN 50581:2012

**Signed for and on behalf of:** REOLINK INNOVATION LIMITED

**Place of issue:** Hong Kong  
**Date of issue:** 15-9-2021  
**Name:** Wang aijun  
**Position:** Technical Director  
**Signature:**

